

## PTFE / KZ05

PTFE insulated cores, based on: NF C 93-523  
 Intended for use as internal wiring of equipment  
 600 V AC

Order reference		Conductor				Finished wire				Electrical	
		Silver Plated Copper (SPC)				PTFE			Weight	DC resistance	DC Current rating
		Size	Stranding	Wire	Core	Tolerance		UTE C 93-523		In free air at 40°C	
Description	Article Number	AWG	mm <sup>2</sup>	# x mm	Nom Ø	Nom Ø	Min Ø	Max Ø	Nom g/m	Max Ω/km	Amps
KZ 05-01	0062cc05001	32	0.04	7 x 0.079	0.24	0.74	0.63	0.84	1.1	546	4
KZ 05-02	0062cc05002	30	0.06	7 x 0.102	0.31	0.81	0.71	0.91	1.4	349	6
KZ 05-03	0062cc05003	28	0.09	7 x 0.127	0.38	0.90	0.79	1.00	1.9	201	7
KZ 05-04	0062cc05004	26	0.14	7 x 0.160	0.48	1.00	0.89	1.10	2.5	132	10
KZ 05-05	0062cc05005	24	0.22	7 x 0.203	0.61	1.13	1.04	1.22	3.5	86.0	14
KZ 05-06	0062cc05006	22	0.36	7 x 0.254	0.76	1.27	1.17	1.37	4.9	54.4	18
KZ 05-07	0062cc05007	20	0.60	19 x 0.203	0.96	1.52	1.42	1.62	7.8	31.3	26
KZ 05-08	0062cc05008	18	0.96	19 x 0.254	1.20	1.80	1.68	1.92	11	20.5	34
KZ 05-09	0062cc05009	16	1.34	19 x 0.300	1.50	2.10	1.93	2.27	15	13.9	41
KZ 05-10	0062cc05010	14	1.90	27 x 0.300	1.85	2.48	2.30	2.66	21	10.0	53
KZ 05-11	0062cc05011	12	3.18	45 x 0.300	2.45	3.07	2.90	3.24	34	6.00	73

Core identification: Replace 'cc' in the article number with 2 digits below to select from available colours

00 Black
11 Brown
22 Red
33 Orange
44 Yellow
55 Green
66 Blue
77 Violet
88 Grey
99 White
29 Pink

Marking Not applicable

### Characteristics and key properties

<b>CE</b>	<b>UK CA</b>	RoHS REACH LVD		<b>Current rating</b> IEC 60287	<b>Fluid resistant</b> Fuel Oil Water		<b>Flame resistant</b>		<b>Smoke free</b>	<b>MBR</b> Fixed = 5x Ø Flexing = 10x Ø
<b>Complies with</b> NF C 93-523								<b>Temp low</b> <b>-65°C</b>	<b>Temp</b> >20,000 hrs <b>+200°C</b>	

DISCLAIMER: This document and its content remain the property of Habia Cable. It may not be used, copied or provided to any other party than the intended recipient, without prior written permission from Habia Cable. The product shown is intended for professional use and is subject to the user's own evaluation for any particular purpose. Information provided indicates nominal, indicative values and cannot be considered a binding representation or warranty for products and their use. Information is considered valid at the time of publication and is subject to change without notice.